



Flexible Concrete Erosion Control Mat

Australian Concrete Mats is a permanent hard armour erosion protection for the ground surface, whilst also supporting the natural environment. Engineered as an alternative to rock rip rap, the concrete roll is designed to control various types of erosion due to water, wind or vehicular traffic.

What is a Concrete Mat?

The erosion control mat has concrete shapes embedded into high strength polypropylene geogrid. The mat is flexible because of the shape of the concrete and the spaces between. When laid the mat will contour to the landscape, as well as allow for the vegetation to grow through.

Easy handling and quick installation

The mats are supplied in rolls. They are lifted, placed and unrolled using standard plant and machinery. Installed efficiently with no special tools or equipment. Once laid down they start working right away, with sound long-term benefits!

Features and Benefits

- Flexible design for economical installation
- Flexible mats conform to ground contours, minimizing site preparation
- Gaps between concrete shapes provide water permeability and vegetation growth
- Easily maintained when vegetated
- Cost-effective solution to severe or minor erosion
- Mats can be rolled with geotextile underlay to speed installation and quality of finished project
- Interlocking geogrid on mat edges provide mat -to-mat connection and optional anchoring
- Mats can be removed and reused on future sites

- **EASY TO USE**
- **QUICK TO INSTALL**
- **SUSTAINABLE**
- **GROWS GREEN**



Where is the Concrete Mat is used?

- Swale Drains
- Culvert Inlets/Outlets
- Channel or Gully Lining
- Dam Linings
- Vehicular Access Roads
- Boat Ramps
- Gentle Slopes Landscapes
- Shoreline Protection



Concrete Block Mat Specifications

- Each block is typically 58mm high, 160x148mm at the bottom face with a pyramid type shape.
- Mat rolls are available 2.4m wide, up to 15m lengths. Made from 40 MPA concrete shapes embedded into high strength polypropylene geogrid. They can also be supplied with an underlay of Nutrition Geomat.
- 40mm spacing between shapes provide opening for vegetation to grow through or granular backfill.



Articulated Concrete Block Mat

The Articulated Concrete Block Mat is a flexible concrete block revetment system specifically designed for permeable paving applications. Engineered as an alternative to rock rip rap, the block mat is designed to control various types of erosion due to water, wind or vehicular traffic.



What is the Concrete Erosion Mat?

The block mat system is interlocked by polypropylene or stainless steel cables, which are poured through each block in both directions. This allows each individual block to be flexible and form to the terrain of the ground.

To provide protection for larger areas, the mats are placed side by side, joined together using cable clamps.

Where is the Block Mat used?

- Shoreline Protection
- Spillways
- Culvert Inlets/Outlets
- Channel or Gully Lining
- Dam Linings
- Vehicular Access Roads
- Boat Ramps
- Gentle Slopes Landscapes

Features and Benefits

- Flexible design for fast economical installation
- Interlocking cables are looped on mat edges to provide mat-to-mat connection and optional anchoring
- Flexible mats conform to ground contours, minimizing site preparation
- Gaps between blocks provide water permeability and vegetation growth
- Easily maintained when vegetated or rock filled
- Cost-effective solution to severe or minor erosion
- Precast mats with pre-attached geotextile speed installation and quality of finished project
- Mats can be removed and reused on future sites



Concrete Block Mat Specifications

- Each block is typically 120mm high, 290x290mm on the top face and 390x390mm at the bottom face.
- Mats are 2400x1200mm, made from 40 MPA concrete blocks interlocked by polypropylene or stainless steel cables, which are poured through each block in both directions.
- 15mm spacing (at base) between blocks provide opening for vegetation to grow through or granular backfill.