



| <b>Australian Concrete Articulated Blocks Specs</b> |  |
|---|--|
| Material Weight (Approx)                            | 214 kg per m2  |
| Block Size (Approx)                                 | HEIGHT: 120mm<br>TOP FACE: 290x290mm<br>BOTTOM FACE: 390X390mm |
| Spacing between blocks                              | 15mm space (at base)   |

| <b>Articulated Cable Block Mat Specifications</b> |        |                    |         |
|---|--------|--------------------|---------|
| WIDTH   | LENGTH | SPECS              |         |
| 1200mm  | 2400mm | Weight (kg)        | 616 kg  |
|   |        | Mats/Truckload 24t | 38 mats |

| <b>Articulated Cable Block Mat - Transport &amp; Handling</b>  |             |                                |                        |                         |  |  |
|--|-------------|--------------------------------|------------------------|-------------------------|--|--|
| For ease of transport and handling the cable block mats are stacked on to a pallet and transported that way. |             |                                |                        |                         |  |  |
| WIDTH (mm)   | LENGTH (mm) | HEIGHT (including pallet) (mm) | No. of Mats per Pallet | WEIGHT PER PALLET (ton) |  |  |
| 1200   | 2400        | 650                            | 4                      | Approx 2.7 ton          |  |  |
| 1200   | 2400        | 390                            | 2                      | Approx 1.3 ton          |  |  |

| <b>Manufacturing Material Information</b>                             |   |
|---|---|
| <b>BLOCKS</b>   | <b>INTERLOCKING Polypropylene Rope</b>    |
| 40 MPA, Wet-Cast portland cement, 6% Air entrained with 8mm Aggregate | 16mm Polypropylene Rope                   |
|   | Breaking Strain of Approx 3500kg          |
| <b>BLOCKS</b>   | <b>INTERLOCKING Stainless Steel Cable</b> |
| 40 MPA, Wet-Cast portland cement, 6% Air entrained with 8mm Aggregate | 4.8m, 316 Stainless Steel Cable           |
|   | Breaking Strain of Approx 1750kg          |